



HEATING SYSTEMS

Ruffneck™ Heaters for the Harshest Environments

- Explosion-Proof Electric Unit Heaters
- Explosion-Proof Convection Heaters
- Heat Exchanger Unit Heaters
- Washdown Unit Heaters
- Forced Air Unit Heaters
- Duct Heaters
- Explosion-Proof Exhaust Fans
- Accessories





FX5

Ruffneck

766

766



Ruffneck™ from Thermon Heating Systems Inc. is renowned for its rugged, reliable and versatile heavy-duty explosion-proof heaters, heating systems and heating accessories. Ruffneck has a long and proud history of supplying quality heating products for the harshest industrial environments to a worldwide customer base for over 30 years. The Ruffneck™ line has enhanced Thermon Heating System's position as one of North America's leading manufacturers of industrial heating equipment.

Ruffneck™ is well-known in the industry for its "ship the heat in a week" policy, where 95% of all standard orders are shipped within one week of order placement.

Thermon Heating Systems Inc. is a world leader in the development and production of advanced heating and filtration solutions for industrial and hazardous area applications. To find out more about Thermon Heating Systems Inc.'s other brands and services visit www.thermon.com.

Explosion-Proof Electric Unit Heaters

FX5 Explosion-Proof Electric Air Unit Heaters

Designed for the harshest environments. For use in dry indoor industrial applications with hazardous environments where explosive gases or dusts may be present.



- The heater core assembly is contained in a sturdy, epoxy-coated, 12-gauge steel cabinet.
- Utilizes the VacuCore® liquid-to-air heat exchanger, which provides high efficiency, fast warm-up and even heat distribution across the face of the exchanger.
- Optional Heresite® coating and stainless steel construction for corrosive environments available.
- Models offered in 3 – 35 kW, ranging from 208 – 600V.
- UL certified and approved for the following Hazardous Locations: Class I, Division 1 & 2, Groups C & D; Class II, Division 1, Groups E, F & G; Class II, Division 2, Group F & G, Class I, Zones 1 & 2, Groups IIA & IIB; Temperature Code T3B.
- Available slim or regular control enclosure.
- Available FX5-SD Severe Duty option.

FE2 Explosion-Proof Electric Air Unit Heaters

European variant of the FX5, adapted to 50 Hz power and registered to European standards.

- Utilizes the VacuCore® liquid-to-air heat exchanger, which provides high efficiency, fast warm-up and even heat distribution across the face of the exchanger.
- Optional Heresite® coating and stainless steel construction for corrosive environments available.
- Models offered in 2.5 – 23.1 kW, ranging from 220 – 440V, 50 Hz.
- CE/ATEX II 2 G, Ex d IIB T3 Gb and EAC approved for global markets.
- -50°C EAC certification available.



Explosion-Proof Convection Heaters



CX1 Provector® Explosion-Proof Convection Heaters

Designed and manufactured specifically for hazardous locations and harsh operating conditions, such as those in the oil and gas industry.

- Sloped-top cabinet prevents objects that restrict airflow from being set on top.
- Models offered in 0.75 – 10.0 kW, ranging from 120 – 600V, single phase, and 208 – 600V three phase.
- ^cUL_{US} listed approvals for Class I, Divisions 1 & 2, Groups A, B, C, D; Class I, Zones 1 & 2, Groups IIA, IIB and IIC.

CF1 Provector® Explosion-Proof Convection Heaters

European variant of the CX1, adapted to 50 Hz power and registered to European standards.

- Sloped top cabinet prevents objects that restrict airflow from being set on top.
- Models offered in 0.25 – 7.6 kW, ranging from 220 – 415V, single phase.
- CE/ATEX and IEC Ex, II 2 G Ex d IIB/IIC T2, T3 or T4 Gb and EAC approved for global markets.



Heat Exchanger Unit Heaters



FR Heat Exchanger Unit Heaters

Designed for steam applications that may be subject to freezing conditions.

- Heat exchanger cores are of steel construction with tension wound, close fitting aluminum fins.
- Maximum operating pressures up to 200 psi.
- Motors ranging from 115 – 575V, with the option of TEFC or explosion-proof.
- Canadian CRN approved.
- CSA and EAC approved heaters available.
- Certified built-in disconnect available.

HP Heat Exchanger Unit Heaters

Designed for rugged industrial applications including space heating and liquid cooling applications.

- These high pressure heaters are suitable for a wide range of heating fluids including steam, glycol/water mixture, TEG, etc.
- Maximum operating pressures up to 450 psi and maximum operating temperature of 650°F (343°C).
- Motors ranging from 115 – 575V, with the option of TEFC or explosion-proof.
- Canadian CRN approved.
- CSA and EAC approved heaters available.
- Certified built-in disconnect available.



AH/AV Unit Heaters

Designed for rugged industrial applications and can be used with a variety of heat transfer fluids such as steam, circulating hot water, and glycol heating systems, or in liquid cooling applications.

- These high pressure heaters are suitable for a wide range of heating fluids including steam, glycol/water mixture, TEG, etc.
- Maximum operating pressure of 525 psi and maximum operating temperature of 650°F (343°C).
- Models from 6,000 – 1,200,000 Btu/hr.
- Motors ranging from 115 – 575V, with the option of TEFC or explosion-proof.
- Canadian CRN approved.
- CSA approved heaters available.
- Certified built-in disconnect available.



Washdown Unit Heaters



CR1 Triton™ Corrosion-Resistant Washdown Heaters

Designed for non-hazardous industrial locations with elevated moisture levels.

- NEMA Type 4X construction for increased safety and protection against water penetration.
- Epoxy-coated fan blade and 16 gauge stainless steel cabinet for increased corrosion resistance.
- 37 models offered in 13 – 39 kW, ranging from 208 – 600V.
- Custom configured stainless steel spiral-finned heating elements for improved heat distribution and corrosion protection.
- UL listed Type 4X for coast guard and marine applications.
- Suitable for wash bays and humid locations.
- Able to withstand water spray of up to 70 PSIG (483 kPa).
- cCSA_{US} and EAC approved.



CRE1 Triton™ Corrosion-Resistant Washdown Heaters (European Certification)

European variant of CR1 Triton™, adapted for 50 Hz and registered to European standards.

- IP55 enclosure for increased safety and protection against water penetration.
- 41 models offered in 2.5 – 40 kW, ranging from 220 – 690V.
- UL listed, CE and EAC approved for global markets.

Forced Air Unit Heaters



RGE Regular Duty Air Unit Heaters*

Designed for use in regular duty industrial and commercial space heating applications such as factories, parking garages, stores, etc.

- Phosphate coated, epoxy painted 18 gauge steel cabinet.
- Numerous optional factory installed features to meet specific customer requirements, including optional thermostats and controls, and optional wall bracket.
- 35 models offered in 2 – 40 kW, ranging from 208 – 600V.
- cCSA_{US} and EAC approved.

RGX Heavy Duty Air Unit Heaters*


Designed for heavy duty use in non-hazardous industrial locations.

- Heavy duty construction reduces the downtime and maintenance costs associated with standard design heaters.
- 18 models offered in 15 – 50 kW, ranging from 208 – 600V.
- 40 kW and 50 kW units incorporate split loads (50%) for remotely controlled energy management systems.
- cCSA_{US} and EAC approved.



* In Canada, these units are marketed under the Caloritech™ brand name.

Duct Heaters



RXDF Explosion-Proof Duct Heaters*

Designed for heating air or gases in hazardous locations such as oil refineries, coal mines, petrochemical plants, etc., where potentially explosive substances are present.

- Heavy walled carbon steel finned tubular (Calrod® Type) elements with nickel plated finish to provide safe, efficient, low temperature heat transfer.
- Models offered in 2.5 – 50 kW, ranging from 208 – 600V.
- Available with T2D, T3A or T3B hazardous area temperature codes.
- cCSA_{US} and EAC approved.

Types RDFF, RDIF, RDFT & RDIT Air Duct Heaters*

Designed for use in comfort heating applications such as make-up air heating, air pre-heating, air handling equipment, etc.

- RDFF is a Flanged Duct Heater with finned tubular (Calrod® type) elements.
- RDFT is a Flanged Duct Heater with non-finned tubular (Calrod® type) elements.
- RDIF is an Insert Duct Heater with finned tubular (Calrod® type) elements.
- RDIT is an Insert Duct Heater with non-finned tubular (Calrod® type) elements.
- Auto reset primary and manual reset secondary linear cutouts.
- cCSA_{US} approved.

* In Canada, these units are marketed under the Caloritech™ brand name.



Explosion-Proof Exhaust Fans



EFX Explosion-Proof Exhaust Fan

Designed for both hazardous location and general purpose industrial applications.

- 12 – 30" fan sizes, up to 6,600 CFM.
- Optional features include backdraft dampers, rain hoods and Heresite® coating on all non-motor components.
- Spark resistant aluminum fan blades for hazardous locations.
- Epoxy-coated steel construction.
- Fan guards conform to OSHA specifications.
- Models ranging from 115 – 575V.
- Motors are CSA and EAC approved and/or UL listed.
- Hazardous ratings: Class I, Divisions 1 & 2, Groups C, D; Class II, Divisions 1 & 2, Group E, F, G.

Accessories

Thermostats

- XT Thermostat (Defender® Explosion-Proof)
- XTW Thermostat (Explosion-Proof, Air Sensing)
- XTB Thermostat (Explosion-Proof, Remote Sensing)
- XTD8 Thermostat (Explosion-Proof, Room)
- ET5 Thermostat (Heavy-Duty Line Voltage)
- TF Thermostat (NEMA 4X, Water-Resistant)
- XS Disconnect Switch (Explosion-Proof, Remote)

Mounting Kits

- BMK Mounting Kit (Basic)
- HMK Mounting Kit (Hanging)
- PMK Mounting Kit (Pipe)
- WMK Mounting Kit (Wall)
- SHMK Mounting Kit (Swivel Hanging)
- VHMK Mounting Kit (Vertical Hanging)





HEATING SYSTEMS

As a leader in advanced heating and filtration solutions with facilities across North America, Thermon Heating Systems manufactures five of the top brands in industrial heating in addition to a comprehensive line of engineered industrial filtration products including:

Cata-Dyne™ Explosion-Proof Gas Catalytic Heaters

Cata-Dyne™ is the industry standard in infrared gas catalytic heaters, enclosures, pipeline systems and accessories. Customers across a wide range of industries rely on Cata-Dyne™ to supply them with safe, reliable, efficient and versatile infrared catalytic heating equipment for a variety of applications in both hazardous and non-hazardous environments.

Ruffneck™ is renowned for its rugged, reliable and versatile heavy-duty explosion-proof heaters, heating systems and heating accessories. Ruffneck™ has a long and proud history of supplying quality heating products for the harshest industrial environments to a worldwide customer base for over 30 years. Ruffneck™ is well-known in the industry for its “ship the heat in a week” policy, where 95% of all standard orders are shipped within one week of order placement.

Ruffneck™ Heaters for the Harshest Environments

3L Filters™ Engineered Filtration Systems

3L Filters™ has satisfied the most demanding industrial filtration requirements for over 40 years. A broad range of standard and custom products includes liquid filters, strainers, separators, pressure vessels, and engineered products and systems. 3L Filters™ has special expertise for nuclear, petrochemical, water treatment and environmental applications.

Caloritech™ electric heaters, heating elements and heating accessories are well-known in the industry for their quality, reliability, performance and versatility. In addition to standard “off the shelf” industrial heaters and heating systems components, Caloritech™ also offers engineered heating solutions custom designed, manufactured and tested to satisfy customer specifications. No matter what your application or environment, Caloritech™ has a solution to fit your heating needs.

Caloritech™ Engineered Electric Heat

Fastrax™ Track and Switch Heaters

Fastrax® has manufactured railroad track and switch heating since 1995. Fastrax® engineers complete heating packages for the rail industry. Fastrax® track and switch heaters are designed to provide the most efficient heat transfer on rail equipment and components for the coldest environments. In addition to heaters, Fastrax® manufactures fully automatic energy saving controls to complete the rail heating system.

Norseman™ is the most technologically advanced line of explosion-proof electric air heaters and heating accessories, including both forced air heaters and natural convection heaters, as well as unit heaters, panel heaters and thermostats. Norseman™ offers innovative, low maintenance solutions for a wide range of applications in a variety of industrial and commercial environments. Custom engineered heaters or heating systems are available for specialized applications.

Norseman™ Electric Explosion-Proof Heaters

Visit www.thermon.com for detailed product information.

Edmonton, AB
1-800-661-8529
780-466-3178
F 780-468-5904

Oakville, ON
1-800-410-3131
905-829-4422
F 905-829-4430

Orillia, ON
1-877-325-3473
705-325-3473
F 705-325-2106

Houston, TX
1-855-219-2101
281-506-2310
F 281-506-2316

Denver, CO
1-855-244-3128
303-979-7339
F 303-979-7350